

Dia

Designer: Alexander Lervik



With the light source hidden in the lamp fixture, an illusion of form and light is created.

The mouth blown clear glass dome's sandblasted base shines bright and strong as if it were the light source itself. Alexander Lervik's Dia hides the light source in the lamp holder and allows the frosted bottom of the mouth blown clear glass dome to act as a diffusing light surface.

Dia has a diameter of 27 centimeters and provides a well-focused light image. The lamp holder can be ordered with the power cable in different colors and gives Dia a clear contrasting identity.

NOON


Noon Light AB

Showroom & Huvudkontor
Blekingegatan 22 — 118 56 Stockholm — Sweden
Anders Anderssons väg 7 — 283 35 Markaryd — Sweden

Telefon +46 433 56 91 00 — E-post info@noonlight.se
www.noonlight.se

Dia

Designer: Alexander Lervik



Dia 27

PRODUCT SPECIFICATIONS

Product category	Pendant lighting
Field of application	Indoors
Material	Luminaire housing (Ø10 cm) in machined aluminum, mouth-blown glass shade, halogen-free cable in densely woven textile sock, ceiling cup in pressure-formed metal
Cable and wire length	3000 mm
Light source	Integrated LED (interchangeable)
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer). When purchasing accessories, the luminaire can be controlled via DALI/Push-dim alt. Casambi (Bluetooth, IoT), see accessories in the article list.
Dimensions	Ø270 mm x H450 mm
Weight	5,5 kg

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
IP-class	IP20
Light source	Integrerad LED (interchangeable)
Protection class	Class I
Watt	10W
Lumen	900 lm
Light color (Kelvin)	3000K
Light color tolerance (SDCM)	3 McAdam steps
Lifespan (L70)	> 50000 hours
Color rendering (CRI)	>90
Light distribution	130°
General Stand. and Cert.	CE-LVD / REACH / RoHS

Dia

Designer: Alexander Lervik



Sizes: 27 cm in diameter
Lamp holder: 200 different color



Glass shade: Clear with
frosted bottom



Textile cable: 60 colors