

NOON





With light fittings in 200 different colors, Noon offers a whole new freedom of choice in the lighting industry.

Colour Flexibility

Noon offers a whole new freedom of choice in the lighting industry. Choose from a multitude of colors. Let light fittings in all the colours of the rainbow contribute to unique interiors.

Design

Together with other designers, Noon, under the artistic direction of Alexander Lervik, will offer lighting for both home and public environments.

Classic shapes and experimentally challenging light art capture the strengths of Scandinavian design: a diversity of expression and a focus on good design.

Noon makes the choice of different colors an integral part of the design: black, white and grey luminaires are a thing of the past.

Innovation

Noon offers the very latest technological innovations together with a truly circular production.

04

Celest

From waste to wonder – a lamp made from recycled metal scrap from Johanson’s production.

10

Castor

Reinventing the classic cone-shaped lampshade by making suspension and power supply part of the design.

18

Dia

With the light source hidden in the lamp holder, an illusion of shape and light is created.

28

Pan Pendant

A cap that grips, and a brilliant form that wants to brea

36

Pan Wall

A cap that grips, and a brilliant form that wants to break free.

42

Ori

The classic desk lamp is transformed into a light sculpture in Alexander Lervik’s Ori.

48

RAL - Colors

Choose from 200 different RAL colors

50

Cable colors

Choose from our textile cables.

Product:
Celest

Product type:
Pendant lighting

Designer:
Noon

Celest

Create your own unique Celest and customize it to match your personal style.

Let Celest be more than just a lamp – let it be a work of art that lights up your home with both warmth and character.



Celest, a sleek and sustainable lamp that combines innovative design with environmental awareness. Made from pipe parts from furniture production and featuring a smart reuse strategy, CELEST uses leftover material from metalworking to create a unique and aesthetically appealing lighting solution.

Celest, is available in three elegant sizes – S, M, and L – as well as in a round triple and a straight triple design, making it perfect for any space and interior style. For those seeking even more flexibility, we also offer a round quintuple, which is also available in a straight version.

Inspired by Noon's core concept, CELEST gives you the option to choose from around 200 RAL colors and a selection of textile cable colors.

Celest 1




PRODUCT SPECIFICATIONS

Celest 1 Round	Each in any size S(Ø3 cm), M(Ø4 cm) and L(Ø5 cm)
Product category	Pendant lighting
Field of application	Indoors
Material	Lampshade in machined aluminum, cable in tightly woven textile sleeve.
Ceiling cup	Ceiling cup in machined aluminum, Ø15 cm incl. driver 3W
Cable and wire length	1800 mm, Extra length of textile cable can be purchased per meter.
Light source	Integrerad LED (interchangeable)
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer)
Dimensions	S Ø3x25 cm, M Ø4x25 cm, LØ5x25 cm
Weight	1kg

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60HZ
IP-class	IP20
Light souce	Integrerad LED (interchangeable)
Protection class	Klass II
Watt	Watt 3W
Lumen	420 lm
Light colour (Kelvin)	3000K
Light colour tolerance (SDCM)	3 McAdams steps
Lifespan (L70)	50.000 hours
Color rendering (CRI)	> 90
Light distribution	12-60°
General Stand. and Cert.	CE-LVD / CE-EMC / RoHS

Celest 3




PRODUCT SPECIFICATIONS

Celest 3 Round	One of each size S(Ø3 cm), M(Ø4 cm) and L(Ø5 cm)
Celest 3 Straight	3 pcs in any size S(Ø3 cm), M(Ø4 cm) or L(Ø5 cm)
Product category	Pendant lighting
Field of application	Indoors
Material	Lampshade in machined aluminum, cable in tightly woven textile sleeve.
Ceiling cup	Ceiling cup in machined aluminum, Ø20 cm alt. 80 x 10,5 cm incl. driver 12W
Cable and wire length	1800 mm, Extra length of textile cable can be purchased per meter.
Light source	Integrerad LED (interchangeable) incl. drivers 13.7 W
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer)
Dimensioner Round	S Ø3x25 cm, M Ø4x25 cm, LØ5x25 cm, Ceiling cup Ø20 cm
Dimensioner Straight	S Ø3x25 cm, M Ø4x25 cm, LØ5x25 cm, Ceiling cup 80 x 10,5 cm
Weight	3kg

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60HZ
IP-class	IP20
Light souce	Integrerad LED (interchangeable)
Protection class	Klass II
Watt	12W
Lumen	420 lm
Light colour (Kelvin)	3000K
Light colour tolerance (SDCM)	3 McAdams steps
Lifespan (L70)	50.000 hours
Color rendering (CRI)	> 90
Light distribution	12-60°
General Stand. and Cert.	CE-LVD / CE-EMC / RoHS

Celest 5



PRODUCT SPECIFICATIONS

Celest 5 Round	2 pcs S(Ø3 cm), 2 pcs M(Ø4 cm) and 1 pcs L(Ø5 cm)
Celest 5 Straight	5 pcs in any size S(Ø3 cm), M(Ø4 cm) or L(Ø5 cm)
Product category	Pendant lighting
Field of application	Indoors
Material	Lampshade in machined aluminum, cable in tightly woven textile sleeve.
Ceiling cup	Ceiling cup in machined aluminum, Ø28 cm alt. 120 x 10,5 cm incl. driver 20W
Cable and wire length	1800 mm, Extra length of textile cable can be purchased per meter.
Light source	Integrerad LED (interchangeable)
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer)
Dimensioner Round	S Ø3x25 cm, M Ø4x25 cm, LØ5x25 cm, Ceiling cup Ø28 cm
Dimensioner Straight	S Ø3x25 cm, M Ø4x25 cm, LØ5x25 cm, Ceiling cup 120 x 10,5 cm
Weight	5kg

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60HZ
IP-class	IP20
Light souce	Integrerad LED (interchangeable)
Protection class	Klass II
Watt	20W
Lumen	420 lm
Light colour (Kelvin)	3000K
Light colour tolerance (SDCM)	3 McAdams steps
Lifespan (L70)	50.000 hours
Color rendering (CRI)	> 90
Light distribution	12-60°
General Stand. and Cert.	CE-LVD / CE-EMC / RoHS



Lampshade: 200 different colors, see page 48.
Textile cable, see page 50.



The LED module can be adjusted in height in each lamp using a set screw on the textile cable. This allows for different functions to be created.

Product:
Castor

Product type:
Pendant lighting

Designer:
Alexander Lervik


Castor

Minimalistic shape with many possibilities

Castor reinvents the classic cone-shaped lampshade. By making the suspension and power supply part of the design, Alexander Lervik allows the shape to be even more sparingly precise. Why not a black shade with a red cable? Or a green with yellow? Three different sizes for different placements.



Instead of a limited choice between a few colors, Castor offers full color flexibility and completely new interior design possibilities. Choose from **200 different colors** that can be adapted to both existing and new interiors. The shades have a diameter of 60, 40 and 20 centimeters. The pre-assembled dimmable LED light engine is available for standard connection, DALI or Casambi/Bluetooth. The power supply cable runs out of the screen through a cartridge-like solid sleeve with an alternating polished and matte finish, and then travels up a suspension cable in brass, steel or black lacquered metal. Small clips fix the diameter of the spiral according to taste. Colored textile cable is available in different colors.



20

40

60

PRODUCT SPECIFICATIONS

Product category	Pendant lighting
Field of application	Indoors
Material	Lampshade in press-formed and machined aluminum, halogen-free cable in tightly woven textile sleeve, metal wire (Ø1.5 mm), ceiling cup in press-formed metal.
Cable and wire length	Cable = 3000 mm, wire = 3000 mm
Light source	Integrated LED (interchangeable)
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer). When purchasing accessories, the luminaire can be controlled via DALI/Push-dim alt. Casambi (Bluetooth, IoT), see accessories in the article list
Dimensions	Ø600 mm x H600 mm, Ø400 mm x H400 mm, Ø200 mm x H200 mm
Weight	6,55 kg, 3,95 kg, 2,05 kg

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
IP-class	IP20
Light source	Integrated LED (interchangeable)
Protection class	Klass I
Watt	10W
Lumen	900 lm
Light colour (Kelvin)	3000K
Light colour tolerance (SDCM)	3 McAdam steps
Lifespan (L70)	> 50000 hours
Color rendering (CRI)	>90
Light distribution	130°
General Stand. and Cert.	EU: CE-LVD / CE-EMC / REACH / RoHS




Sizes: 60, 40, 20 cm in diameter
Lampshade: 200 different colors, see page 48

Textile cable: 60 colors, see page 50
Wire: champagne, silver, black



Metal pipe: champagne, silver, black



Why not a violet blue lampshade with a red cable? Or an oxidized red one with an orange cable? The possibilities are almost endless.



You can choose a blue lamp shade with a blue cable? Or an oxidized red with a blue cable? The flexibility in choosing appearance is great.

Product: | Product category: | Designer:
Dia | Pendant lighting | Alexander Lervik

Dia

With the light source hidden in the lamp fixture, an illusion of form and light is created.

The mouth blown clear glass dome's sandblasted base shines bright and strong as if it were the light source itself. Alexander Lervik's Dia hides the light source in the lamp holder and allows the frosted bottom of the mouth blown clear glass dome to act as a diffusing light surface.



Dia has a diameter of 27 centimeters and provides a well-focused light image. The lamp holder can be ordered with the power cable in different colors and gives Dia a clear contrasting identity.



Dia 27

PRODUCT SPECIFICATIONS

Product category	Pendant lighting
Field of application	Indoors
Material	Luminaire housing (Ø10 cm) in machined aluminum, mouth-blown glass shade, halogen-free cable in densely woven textile sock, ceiling cup in pressure-formed metal
Cable and wire length	3000 mm
Light source	Integrated LED (interchangeable)
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer). When purchasing accessories, the luminaire can be controlled via DALI/Push-dim alt. Casambi (Bluetooth, IoT), see accessories in the article list.
Dimensions	Ø270 mm x H450 mm
Weight	5,5 kg

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
IP-class	IP20
Light source	Integrerad LED (interchangeable)
Protection class	Class I
Watt	10W
Lumen	900 lm
Light color (Kelvin)	3000K
Light color tolerance (SDCM)	3 McAdam steps
Lifespan (L70)	> 50000 hours
Color rendering (CRI)	>90
Light distribution	130°
General Stand. and Cert.	CE-LVD / REACH / RoHS



Sizes: 27 cm in diameter

Lamp holder: 200 different colors, see page 48



Glass shade: Clear with frosted bottom Textile cable: 60 colors, see page 50



Mouth blown
luminous clear
glass shade



Choose a salmon-pink lamp holder with a pink cable? Or one in red with a red cable? Match it with your other decor for the sake of the experience.



Noon gives you the opportunity to create almost freely. Why not a purple lamp holder with a raspberry-colored cable? Or an olive green one with a pink cable?



Add color with a green-beige lamp holder and a light green cable? Noon gives you the option of several other combination suggestions? The choice is yours.

Product:
Pan Pendant


Product type:
Pendant lighting

Designer:
Alexander Lervik

Pan Pendant


Glass shade with organic shapes

Pan brings to mind children's books and nature: with its organic shapes, it reminds us of glassblowers and acorns. The glass shade in mouth-blown opaque or clear glass can be fitted with either a classic light bulb or a diffusing light bulb globe to further enhance the shapes.



Choose from 200 different colours, or group several Pan in all the colours of the rainbow. Pan is available in 2 sizes with diameters of 10 and 30 centimetres. The characteristic cap has a textured coating that enhances the organic expression.

Choose the colour according to your taste, and why not combine several different colours? The pan is fitted with a G9 or an E27 base and is dimmable (only with dimmable LED bulb).



10

30

PRODUCT SPECIFICATIONS

Product category	Pendant lighting
Field of application	Indoors
Material	Luminaire housing and ceiling cup in pressure-formed aluminum, opal or clear mouth-blown glass, halogen-free cable in tightly woven textile sleeve.
Cable and wire length	3000 mm
Light source	1 x G9/MAX 3W or 1 x E27/MAX 10,5W LED, light source not included in luminaire
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer)
Dimensions	Pan Pendant 10: Ø110 x H130 mm x B110 mm Pan Pendant 30: Ø300 x H350 mm x B300 mm
Weight	0,85 Kg, 3,95 kg

TECHNICAL SPECIFICATIONS	10	30
Voltage	220-240V	220-240V
Frequency	50/60Hz	50/60Hz
IP class	IP20	IP20
Lamp socket	G9	E27
Protection class	Class I	Class I
Watt	20W	40W
Lumen	300 lm	806 lm
Light colour (Kelvin)	2700K	3000K
Light colour tolerance (SDCM)	3 McAdam steps	3 McAdam steps
Life span (L70)	> 50000 hours	> 50000 timmar
Color rendering (CRI)	>80	> 95
Light distribution	N/A	N/A
General Stand. and Cert.	CE-LVD / REACH / RoHS	CE-LVD / REACH / RoHS



Sizes: 10 or 30 cm in diameter
Lamp holder: 200 different colors, see page 48



Glass shade: Clear or frosted
Textile cable: 60 colors, see page 50





Why not an orange lamp holder with an orange cable? Or a salmon-pink with a pink cable? The combination possibilities are up to a total of 12,000.



Pan Pendant 30 available in
clear and opaque glass,
Pan Pendant 10 only
in opaque glass.

Product:
Pan Wall

Product type:
Wall Lighting

Designer:
Alexander Lervik



Pan Wall


Glass shade with organic shapes

Pan brings to mind children's books and nature: with its organic shapes, it reminds us of glassblowers and acorns. The glass shade in mouth-blown opaque or clear glass can be fitted with either a classic incandescent lamp or a diffused lamp globe to further enhance the shapes.

Choose from 200 different colors, or group several Pan in all the colors of the rainbow. Pan is available in 2 sizes with diameters of 10 and 30 centimeters. Thanks to the IP44 rating, the lamp works equally well outdoors and indoors, and of course also in wet rooms. The characteristic cap has a heavy textured paint that enhances the organic expression. Choose the color according to your taste, and why not combine several different colors?



Pan Pendant 30 available in
clear and opaque glass,
Pan Pendant 10 only
in opaque glass.



10

30

PRODUCT SPECIFICATIONS

Product category	Wall Lighting
Field of application	Indoors / Outdoors
Material	Luminaire housing and wall bracket in pressur-formed metal, spacer tube in steel, opaque or clear mouth-blown glass.
Light source	1 x G9/MAX 3W or 1 x E27/MAX 10,5W LED, light source not included in luminaire
Dimmable	Yes, dimmable via phase dimmer (transistor dimmer)
Dimensions	Pan Wall 10: Ø110 x H230 x L150 mm Pan Wall 30: Ø300 x H500 x L340 mm
Weight	1,00 kg, 5,55 kg

TECHNICAL SPECIFICATIONS	10	30
Voltage	220-240V	220-240V
Frequency	50/60Hz	50/60Hz
IP-class	IP44	IP44
Lamp base	G9	E27
Protection class	Klass I	Klass I
Watt	20W	40W
Lumen	300 lm	806 lm
Light color (Kelvin)	2700K	3000K
Light color tolerance (SDCM)	3 McAdam steps	3 McAdam steps
Lifespan (L70)	N/A	N/A
Color rendering (CRI)	>80	>95
Light distribution	N/A	N/A
General Stand. och Cert.	CE-LVD / REACH / RoHS	CE-LVD / REACH / RoHS



Sizes: 10 or 30 cm in diameter
Lamp holder: 200 different colors, see page 48



Glass shade: clear or opaque

Product:
Ori

Product type:
Table lamp

Designer:
Alexander Lervik



Ori


The desk lamp is transformed into a light sculpture

What was once steel and sheet metal is resurrected as a paraphrase of both the Anglepoise lamp of the 1930s and the rice lamps popularised in Sweden in the 1970s.

Ori is something of a small sculpture, a bit like a fairy taking shape in the mist. The entire inner workings is filled with small LED lamps that provide an evenly distributed light.



Ori is a light artwork that, unlike NOON's other lamps, is available in only one color—or rather, only as light, all colors at once. With its distinctive form, Ori reconnects to modernist design classics without being constrained by outdated technology. In Alexander Lervik's interpretation, light takes center stage. The lamp body is made of metal wire (Ø4 mm), and the shade material is white stretch nylon. Ori is available in two sizes: Medio Stretch (M) as a table lamp and Portable Stretch (S) with a battery for free placement.



PRODUCT SPECIFICATIONS

Product category	Table lamp
Field of application	Indoors
Material	Lamp body made of metal wire (Ø4 mm), shade covering in white stretch nylon
Cable and wire length	2500 mm
Light source	S: LED strip 2W Lithium-Ion battery 3.7V 6000mA M: 1 LED strip 3.2 W
Dimmable	Yes, dimmable via dimmer on the textile cable or touch dimmer
Dimensions	Ori Portable Stretch (S): L300 mm x W150 mm x H365 mm Ori Medio Stretch (M): L460 mm x W200 mm x H515 mm
Weight	1,2 kg, 2,2 kg

TECHNICAL SPECIFICATIONS

	S	M
Voltage	5V max 2A USB-C	220-240V
Frequency	N/A	50/60Hz
IP-class	IP20	IP20
Lamp base	LED	LED
Protection class	Klass II	Klass II
Watt	2W	3.2W
Lumen	134 lm	235 lm
Light color (Kelvin)	2700K	2700K
Light color tolerance (SDCM)	3 McAdam steps	3 McAdam steps
Life span (L70)	> 50000 timmar	> 50000 timmar
Color rendering (CRI)	>80	>80
Light distribution	N/A	N/A
General Stand. and Cert.	EU: CE-LVD/REACH/RoHS	EU: CE-LVD REACH/RoHS



Sizes: S och M





The classic desk lamp is transformed into a light sculpture. Beautiful both on and off.

Ral-colors

Over 200 choices

With 200 different color shades for painted surfaces and 60 different textile cable colors, Noon offers as many as 12,000 color combinations: maximum color flexibility unparalleled in the lighting industry. Let the lamps match the color scheme of the walls, or let the textile cable match the color of the ceiling. Or give lamps and textile cables the chance to set the tone for an interior's accent colors.




With us, you can choose colors that match your project without having to compromise.



Textile cable colors

Choose from ours textile cables



NOON

Maximum Color Flexibility +
Scandinavian Design

Contact
E-mail info@noonlight.se
Phone +46 433 56 91 00

Showroom
Stockholm – Blekingegatan 22 – 118 56 Stockholm
Markaryd – Anders Anderssons väg – 285 35 Markaryd